

Zoological Record

Vol. 95, Sect. 3, 1958

PORIFERA

COMPILED BY

M. BURTON, D.Sc.

LONDON

PUBLISHED BY

THE ZOOLOGICAL SOCIETY OF LONDON

PRICE TWO SHILLINGS

October, 1960

SEPARATE SECTIONS OF THE ZOOLOGICAL RECORD

In addition to the complete bound volume, the separate Sections may be obtained singly, bound in printed paper covers.

The following are the Sections and their prices, viz. :—

						<i>s.</i>	<i>d.</i>
1. Comprehensive Zoology	3	0
2. Protozoa	10	0
3. Porifera	2	0
4. Coelenterata	4	0
5. Echinoderma	4	0
6. Vermes	10	0
7. Brachiopoda	4	0
8. Bryozoa	2	6
9. Mollusca	10	0
10. Crustacea	6	6
11. Trilobita	5	0
12. Arachnida	10	0
*13. Insecta	50	0
14. Protochordata	2	0
15. Pisces	8	6
16A. Amphibia	6	0
16B. Reptilia	7	6
17. Aves	10	0
18. Mammalia	10	0
19. List of New Genera and Subgenera	4	0

* Obtainable only from the Commonwealth Institute of Entomology, 56 Queen's Gate, London, S.W.7.

3. PORIFERA

BY

M. BURTON, D.Sc.

I.—TITLES

The year of publication of a title is omitted from the reference where it is the same as the volume year of the "Record," namely (1958).

Albahary, C. and Budker, P. Dangers des animaux aquatiques. Encyclopédie Médico-Chirurgicale 16078 C10. Paris 1958: pp. 9, text illust.

Amsden, T. W. Catalog of fossils from the Middle and Upper Ordovician of Oklahoma. Circ. Okla. geol. Surv. 43 1957: 1-41.

Ancellin, J. Observations sur la faune et les fonds de pêche de quelques secteurs de la manche et des mers nordiques. Rev. Trav. Inst. Pêches marit. 21 (4) 1957: 449-484.

(Bologhdin, A. G.) [Arkhestziatui i ikh stratigraphicheskoe Znachenie.] Acta palaeont. Sinica 5 (2) 1957: 173-222, 22 pls. [In Chinese with Russian summary.]

Borradaile, L. A. and others. The Invertebrata. A manual for the use of students. 3rd edition. Cambridge (Univ. Press) 1958, pp. xvii+795, 523 figs.

Bouillon, J. see Rasmont, R.

Brien, P. and Govaert-Mallebrancque, D. A propos de deux éponges du Tanganyika. Mém. Acad. Sci. colon. Bruxelles 8° Cl. Sci. nat. méd. N.S. 8 (1) 1958: 1-47 4 pls., 19 figs.

Budker, P. see Albahary, G.

Burton, M. Porifera. Hanström et al. South African Animal Life 5 Stockholm, 1958: 9.

Burton, M. (1). The sponges of West Africa. Atlantide Rep. No. 4 1956: 111-147, 4 figs.

Castiaux, P. see Rasmont, R.

Colussi, A. Sulla degenerazione di ovociti in *Sycon raphanus* (O. Schmidt) (Calcispongiae). Annu. Ist. Zool. Univ. Napoli 10 (1) 1958: 1-6 1 pl.

Czihak, G. Morphologie und Entwicklungsgeschichte der Wirbellosen. Porifera. Fortschr. Zool. 11 1958: 15-34 12 figs.

Debrenne, F. Sur un représentant de la famille des *Syringocnematidae* de la région d'Alanis (Espagne). C.R. Soc. géol. Fr. 1958 (3-4): 58-59 figs.

de Laubenfels, M. W. Nomenclature of Porifera, especially concerning the so-called "glass sponges" or Hyalospongiae. J. Paleont. 32 (3) 1958: 611-616.

Dudich, E. Die Grundlagen der Fauna eines Karpaten-Flusses. Acta zool., Budapest 3 (3-4) 1958: 179-200.

Germaine, L. A. P. La faune des lacs, des étangs et des marais de l'Europe occidentale. 2me édition révisée . . . par E. Ségué. Encyclopédie pratique du naturaliste, Tome XX. Paris (Editions Paul Lechevalier) 1957: pp. 89-92 text illust.

Govaert-Mallebrancque, see Brian P.

Greggs, R. G. see Okulitch, V. J.

Henningsmoen, G. The Upper Cambrian faunas of Norway, with descriptions of non-olenid invertebrate fossils. Norsk geol. Tidsskr. 38 (2) 1958: 179-196 7 pls.

(Ilin, A. V.) [On Pre-Cambrian and Cambrian of the hillside of Sangilen (Tuva).] Bull. Soc. Nat. Moscou geol. **33** (1) 1958 : 37-41.

Jones, W. C. The effect of reversing the internal water-current on the spicule orientation in *Leucosolenia variabilis* and *L. complicata*. Quart. J. micr. Sci. **99** 2 1958 : 263-278 8 figs. [See also Rep. Challenger Soc. **3** (9) 1957 : 24.]

Jones, W. C. *see* Knight-Jones, E. W.

Kawase, Y. and Okulitch, V. J. Archaeocyatha from the Lower Cambrian of the Yukon Territory. J. Paleont. **31** (5) 1957 : 913-930 5 pls.

(Koltun, V. M.) [Cornacuspongia of sea waters washing the South Sakhalin and the South Kurile Islands region.] Issled. dalnevost. Mor. S.S.S.R. **5** 1958 : 42-77 25 figs. [In Russian.]

Lagneau-Hérenger, L. *Prostolleya cylindrata*, nouvelle éponge siliceuse fossile et révision de la classification des Tetractinellida. Trav. Lab. Géol. Univ. Grenoble **30** 1953 : 31-35 figs.

Lagneau-Hérenger, L. (1). Note préliminaire à l'étude des Spongiaires siliceux du Crétacé supérieur d'Égypte. Trav. Lab. Géol. Univ. Grenoble **30** 1953 : 123-126, 2 pls. figs.

Lefevère, S., Leloup, E. and Meel, L. van. Observations biologiques dans le Port d'Ostende. Mém. Inst. Sci. nat. Belg. No. 133 **1956** : 1-157 3 pls.

Leloup, E. *see* Lefevère, S.

Lévi, C. Les Clavaxinellides. (Démosponges Tetractinomorphes.). Arch. Zool. exp. gén. **92** Notes et Rev. 1955 : 78-87.

Lévi, C. (1). Résultats scientifiques des campagnes de la Calypso. Campagne 1951-1952 en Mer Rouge. Spongiaires de Mer Rouge recueillis par la Calypso (1951-1952). Ann. Inst. Océanogr. Paris N.S. **34** 1958 : 3-46 37 figs.

Lévi, C. *see* Vacelet, J.

Light, S. F. Intertidal invertebrates of the central California coast.

Berkeley (University of California Press) **1954** : pp. xiv, 446 138 figs.

Lutfy, R. G. On the relation between dictyosome and contractile 576. 38 vacuole in sponges. J. roy. micr. Soc. (3) **76** (4) 1958 : 141-145 1 pl. 5 figs.

Meel, L. van *see* Lefevère, S.

Minchen, M. C. A new *Cliona*-like sponge from the Devonian of Hunan. Acta paleont. Sinica **5** 1957 : 63-68 figs. [English summary p. 68.]

Moura, A. Espongilídeos fosseis no diatomito de Azenhas do Vale de Atela (Alpiarça). Mem. mus. min. geol. Univ. Coimbra **46** 1958 : 23-33, 2 pls.

Newell, G. E. The marine fauna of Whitstable. Ann. Mag. nat. Hist. (12) **7** 1954 : 322-350.

Okulitch, V. J. and Greggs, R. G. Archaeocyathid localities in Washington, British Columbia, and the Yukon Territory. J. Paleont. **32** (3) 1958 : 617-623.

Okulitch, V. J. *see* Kawase, Y.

Palik, P. Kiesalgen-und Spongienreste aus dem "gelben" Pannonsand von Bogács. Földt. Közl. **88** (1) 1958 : 83-100, 9 pls. [Hungarian with German summary.]

Paschma, M. On the nervous system of Porifera. Przegl. Zool. **2** (2) 1958 : 114-125 9 figs.

Pavans de Ceccatty, M. La mélanisation chez quelques Éponges calcaires et siliceuses : ses rapports avec le système reticulo-histocytaire. Arch. Zool. exp. gén. **96** (1) 1958 : 1-52 1 pl.

Pokorný, V. Grundzüge der Zoologischen Mikropaläontologie. Band 2. Berlin **1958** : 1-29 14 figs.

Poulsen, V. Contributions to the Middle Cambrian paleontology and stratigraphy of Argentina. Mat. Fys. Medd. Dan. vid. Selsk. **31** (8) 1958 : 1-22 1 pl. [Reprinted in Comm. Pal. Mus. Min. geol. Univ. Copenhagen No. 103.]

Rasmont, R. Les éponges d'eau douce. II. Leur élevage. Nat. Belges **39** 1958 : 19-25 3 figs.

Rasmont, R., Bouillon, J., Castiaux, P. and Vandermeerssche, G. Ultra-structure of the choanocyte collar-cells in freshwater sponges. *Nature*, Lond. **181** (4601) 1958 : 58-59 2 figs.

Reid, R. E. H. On the Gelatinosa and Nuda of Bidder. *Ann. Mag. nat. Hist.* (12) **8** 1955 : 721-723.

Reid, R. E. H. (1). On Hexactinellida, "Hyalospongea," and the classification of Siliceous Sponges. *J. Paleont.* **31** (1) 1957 : 282-286.

Reid, R. E. H. (2). Notes on Hexactinellid sponges—I. *Euryplegma* F. E. Schulze. *Ann. Mag. nat. Hist.* (12) **9** 1957 : 907-909.

Reid, R. E. H. (3). Notes on Hexactinellid sponges—II. *Dactylocalyx* Stutchbury and the family Dactylocalycidae Gray. *Ann. Mag. nat. Hist.*, Ser. 12 **10** (119) 1957 (1958) : 821-826.

Reid, R. E. H. (4). A use for acetic acid in the study of fossil sponges. *Geol. Mag.* **95** 1958 : 82-83.

Reid, R. E. H. (5). Remarks on the upper Cretaceous Hexactinellida of County Antrim : Parts I-II. *Irish Nats. J.* **12** (9-10) 1958 : 236-243, 261-269.

Reid, R. E. H. (6). A monograph of the Upper Cretaceous Hexactinellida of Great Britain and Northern Ireland. Parts I-II. *Palaeontogr. Soc. [Monogr.]* vol. for 1957. **1958** : i-xlviii 1-26 figs and pls.

Ricé, N. E. Occurrence of glass sponges in the Devonian of West Virginia. *J. Paleont.* **32** 1958 : 244-245.

Rich, C. C. Occurrence of Sclerasters of the Geodiidae (Desmospongia, Choristida) in late Cenozoic Strata of Western Wellington Province, New Zealand. *N.Z. J. geol. geophys.* **1** (4) 1958 : 641-646 figs.

Rossi, L. Contributa alla studio della fauna di profondita' vivente presso la Riviera Ligure de Levante. *Doriana* **2** (92) 1958 : 1-13.

Saper, J. and White, W. E. Amino-acid composition of scleroprotein of the sponge *Hippospongia equina*. *Nature*, Lond. **181** (4614) 1958 : 285-286.

Sawyer, F. C. Books of reference in zoology, chiefly bibliographical. *J. Soc. Bibl. nat. Hist.* **3** 1955 : 72-91.

Schechter, V. The life of a sponge. *Biol. Rev. City Coll. N.Y.* **15** (1) 1953 : 26-28.

Schön, A. Massenentwicklung von Schwämmen an Rheinkraftwerken. *Z. Fisch.* **6** (1-7) 1957 : 85-86 1 fig.

Shaw, A. B. Paleontology of Northwestern Vermont. VI. The Early Middle Cambrian Fauna. *J. Paleont.* **31** 1957 : 785-792 2 pls.

Stumm, E. C. and Wright, J. D. Check list of fossil intertebrates described from the Middle Devonian rocks of the Thedford-Arkona region of South Western Ontario. *Contr. Mus. Pal. Univ. Mich.* **14**. (7) 1958 : 97.

Tierney, J. Q. The porifera of the Gulf of Mexico. *Fish. Bull. U.S.* **55** 1954 : 259-261.

Trégouboff, G. Porifera (Spongiaires) in Trégouboff, G. and Rose, M. *Manual de planctonologie méditerranéenne*. Paris (Centre National de la Recherche Scientifique) **1957**. Vol. I : 259-262; vol. II : pl. 61.

Utinomi, H. Coloured illustrations of sea-shore animals of Japan. Osaka (Hoikusha) **1956** pp. [2] xvii, 167 : 76 [64 col.] pls., text figs. Japanese [Fauna and flora of Japan, No. 8] : 1-2, 1 pl.

Vacelet, J. *Dendrilla acantha* nov. sp., nouvelle éponge cornée Méditerranéenne. Remarques sur les genres *Dendrilla* Lindenfeld et *Megalopastas* Dendy. *Rec. Trav. Sta. mar. Endoume* **23** 1958 : 143-147 2 figs.

Vacelet, J. and Lévi, C. Un cas de survivance, en Méditerranée, du groupe d'éponges fossiles des Pharétronides. *C.R. Acad. Sci. Paris* **246** (2) 1958 : 318-320 3 figs.

Vandermeerssche, G. *see* Rasmont, R.

Wanless, H. R. Pennsylvanian faunas of the Beardstown, Glasford, Havana, and Vermont Quadrangles.

Rep. Invest. Ill. geol. Surv. 205
1958 : 1-59, figs.

Warburton, F. E. Reproduction
of fused larvae in the boring sponge,
Cliona celata Grant. Nature, Lond.
181 (4607) 1958 : 493-494.

Warburton, F. E. (1). Boring
sponges, *Cliona* species, of Eastern
Canada, with a note on the validity
of *C. lobata*. Canad. J. Zool. 36
(2) 1958 : 123-125.

Warburton, F. E. (2). The manner
in which the sponge *Cliona* bores
in calcareous objects. Canad. J.
Zool. 36 (4) 1958 : 555-562 10 figs.

Watanabe, Y. Development of
Tethya serica Lebwohl, a tetraxonian
sponge. I. Observations on external
changes. Nat. Sci. Rep. Ochanomizu
Univ. 8 (2) 1957 : 97-104 3 figs.

White, W. E. *see* Saper, J.

Wolfenden, E. B. Paleocology of
the Carboniferous reef complex and
shelf limestones in northwest Derby-
shire, England. Bull. geol. Soc.
Amer. 69 (7) 1958 : 886.

Wright, J. D. *see* Stumm, E. C.

II.—SUBJECT INDEX

References to the "Titles" are by
the name(s) of the Author(s).

GENERAL

Classification, Reid, R. E. H.

Technique, Reid, R. E. H. (4).

Bibliography, Sawyer, F. C.

ANATOMY

Czihak, G.

HISTOLOGY

Paschma, M. ; Pavans de Ceccatty,
M. ; Rasmont, R., Bouillon, J.,
Castiaux, P. and Vandermeerssche,
G.

CYTOLOGY

Lutfy, R. G.

PHYSIOLOGY

Pavans de Ceccatty, M. ; Saper, J.
and White, W. E.

DEVELOPMENT

Colussi, A. ; Czihak, G. ; Rasmont,
R. ; Warburton, F. E. ; Watanabe,
Y. Planktonic larvae.—Trégouboff,
G.

ETHOLOGY

Toxicity of two sponges, Albahary
C. and Budker, P. ; spicule orien-
tation and water currents, Jones,
W. C. ; boring mechanisms, War-
burton, F. E. (2).

DISTRIBUTION MARINE

British Isles.—Newall, G. E.

Belgium.—Lefevere, S., Leloup, E.
and Meel, L. van.

Norway.—Ancellin, J.

Mediterranean.—Rossi, L. ; Vace-
let, J. ; Vacelet, J. and Lévi, C.

West Africa.—Burton, M. (2).

Red Sea.—Lévi, C. (1).

G. of Mexico.—Tierney, J. Q.

Canada.—Warburton, F. E. (1).

California.—Light, S. F.

Japan.—Utinomi, H.

N.W. Pacific.—Koltun, V. M.

FRESHWATER

Europe.—Germaine, L. A. P.

Germany.—Schön, A.

Hungary.—Dudich, E.

Tanganyika.—Brien, P. and Gov-
aert-Mallebrancque, D.

S. Africa.—Burton, M.

FOSSIL

Micropalaeontology.—Pokorný, V.

Primary.—Cambrian, Hennings-
moen, G., Kawase, Y. and Okulitch,
V. J., Okulitch, V. J. and Greggs,
R. G., Poulsen, V., Shaw, A. B. ;
Ordovician, Amsden, T. W. ; Devon-
ian, Minchen, M. C., Rice, N. E.,
Stumm, E. C. and Wright, J. D. ;
Carboniferous, Wanless, H. R., Wol-
fenden, E. B.

Secondary.—Jurassic, Lagneau-
Héranger, L. ; Cretaceous, Debrenne,
F., Lagneau-Héranger, L. (1), Reid,
R. E. H. (5-6).

Tertiary.—Pliocene, Palik, P.;
Pleistocene, Moura, A., Rich, C. C.

(ii) STREPTASTROSCLEROPHORA
(Vacant)

(iii) ASTROSCLEROPHORA

Clavaxinellidae.

Discussion, Lévi, C.

Cliona, Canadian species, with
note on validity of *C. lobata*, War-
burton, F. E. (1).

†*Clionolithes hunanensis* sp. n.
Devonian Hunan, Minchen, M. C. :
68.

Ecionemia spinastra sp. n. Red
Sea, Lévi, C. (1) : 8 fig. 3.

Hezekia arabica sp. n. Red Sea,
Lévi, C. (1) : 8 fig. 4.

Jaspis virens sp. n. Red Sea,
Lévi, C. (1) : 17 fig. 11.

†*Prostolleya* gen. n. *cylindrata* sp. n.
Jurassic France, Lagneau-Héranger,
L. : 32 fig.

Spirastrella pachyspira sp. n. Red
Sea, Lévi, C. (1) : 19 fig. 15.

Suberites tylobtusa sp. n. Red Sea,
Lévi, C. (1) : 24 fig. 20.

Tethya serica development,
Watanabe, Y.

Tetilla diaenophora sp. n. Red Sea,
Lévi, C. (1) : 12 fig. 7.

Timeopsis gen. n., *intermedia* sp.
n. Red Sea, Lévi, C. (1) : fig. 17.

Vibulinus micraster sp. n. West
Africa, Burton, M. (1) : 123 fig. 1.

(iv) LITHISTIDA
(Vacant)

(v) SIGMATOSCLEROPHORA

Acarnus thielei sp. n. Red Sea,
Lévi, C. (1) : 35 fig. 33.

Agelas marmarica sp. n. Red Sea,
Lévi, C. (1) : 38 fig. 36.

Artemisina stiptitata sp. n. S.
Kurile Strait, Koltun, V. M. : 52, fig.
10.

Asbestopluma ramosa : 49, fig. 7,
gracilis p. 49, fig. 6, N.W. Pacific,
Koltun, V. M.

Callyspongia simplex sp. n. West
Africa, Burton, M. (1) : 126, fig. 2.

Cladorhiza bathyrinoides sp. n.,
Pacific coast of South Kurile Islands,
Koltun, V. M. : 50, fig. 8.

III.—SYSTEMATIC INDEX

HEXACTINELLIDA

Nomenclature, Reid, R. E. H. (1) ;
de Laubenfels, M. W.

†Of Cretaceous in British Isles,
Reid, R. E. H. (6).

Hypodermaria new suborder, Reid,
R. E. H. (6) : xlv.

Autodermaria new suborder, Reid,
R. E. H. (6) : xlv.

†*Chonodictyon* gen. n. (for *Farrea*
infundibuliformis Carter 1873), *sewer-*
byensis sp. n. Cretaceous British
Isles, Reid, R. E. H. (6) : 9 pl. ii
fig. 2.

Dactylocalycidae, discussion, Reid,
R. E. H. (3).

†*Eurete columnare* : 18, pl. ii,
figs. 3–6, *formosum* : 21, pl. ii, figs.
7–8, pl. iii figs. 1–2, *mantelli* : 23,
pl. iii figs. 3, pl. iv figs. 1–2, *prolatum* :
25, pl. iv, figs. 3, *spp.n.* Cretaceous
British Isles, Reid, R. E. H. (6).

Euryplegma discussion, Reid, R. E.
H. (2).

†*Farrea oakleyi* : 5 pl. i, figs.
1–4, *tatei* : 7, pl. i, figs. 6–7, pl. ii,
fig. 1, *spp. n.* Cretaceous British
Isles, Reid, R. E. H. (6).

Phyllobrochis gen. n., for *Farrea*
aminaris Topsent 1904, Reid, R. E.
H. (6) : 4.

CALCAREA

Petrobionta gen. n. *massiliana* sp. n.
Mediterranean, Vacelet, J. and Lévi,
J. : 318 figs. 1–3.

“FRESHWATER”

Spongilla uwirae, Brien, P. and
Jovaert-Mallebrancque, D. : 15, fig. 5.

TETRAXONIDA

(i) HOMOSCLEROPHORA

Plakortis erythraena sp. n. Red Sea,
Lévi, C. (1) : 14, fig. 9.

Desmacella varianta papillifera subsp. n. Pacific coast of South Kurile Islands, **Koltun**, V. M. : 54.

Esperiopsis stipula sp. n. Pacific coast South Kurile Islands, **Koltun**, V. M. : 52 fig. 9; *digitata infundibula* subsp. n. Pacific coast of South Kurile Islands, **Koltun**, V. M. : 51.

Eurypon calypsoi sp. n. Red Sea, **Lévi**, C. (1) : 27 fig. 22.

Fasuberea quadrangulata sp. n. Red Sea, **Lévi**, C. (1) : 33 fig. 30.

Fibulia nolitangere toxicity, **Albahary**, C. and **Budker**, P.

Folitipsa acuata sp. n. Red Sea, **Lévi**, C. (1) : 31 fig. 26.

Gellius digitatus sp. n. Pacific coast of South Kurile Islands, **Koltun**, V. M. : 71, fig. 25.

Grayella papillata sp. n. Red Sea, **Lévi**, C. (1) : 32 fig. 28.

Hymedesmia arborescens sp. n. West Africa, **Burton**, M. (1) : 131, fig. 4.

Iophon piceus pacificus subsp. n. S. Kurile Strait, **Koltun**, V. M. : 63.

Leptoclathria lambda sp. n. Red Sea, **Lévi**, C. (1) : 38 fig. 35.

Lissodendoryx minuta sp. n. West Africa, **Burton**, M. (1) : 130, fig. 3; *L. behringi* : 60, fig. 16, *ozeota* : 61, fig. 17, *ivanovi* : 62, fig. 18, *papillosa* : 63, fig. 19, spp. n. N.W. Pacific, **Koltun**, V. M.

Melonanchora kobjakovae sp. n. Pacific coast South Kurile Islands, **Koltun**, V. M. : 58, fig. 13.

Mycale lindbergi : 44, fig. 1, *cucumis* : 44, fig. 2, *longistyla* : 46, fig. 3, *toporki* : 47, fig. 4, *tylota* : 48, fig. 5, spp. n., *adhaerens fibrosa* : 43 subsp. n., N.W. Pacific, **Koltun**, V. M.

Myxichela spirinae : 59, fig. 15, *zenkevitchi* : 59, fig. 14, spp. n., N.W. Pacific, **Koltun**, V. M.

Myxilla elastica sp. n. Pacific coast of South Kurile Islands, **Koltun**, V. M. : 55, fig. 11.

Phorbas paucistyliferus : 67, fig. 23, *salebrosus* : 68, fig. 24, spp. n. N.W. Pacific, **Koltun**, V. M.

Prianos aurantiaca sp. n. Red Sea, **Lévi**, C. (1) : 33 fig. 29.

Pronax epizoaria sp. n. Red Sea, **Lévi**, C. (1) : 34 fig. 31.

Proraspailia gen. n., *polyplumosa* sp. n. Red Sea, **Lévi**, C. (1) : 27 fig. 23.

Stelodoryx toporki sp. n. : Pacific coast of South Kurile Islands, **Koltun**, V. M. : 57 fig. 12.

Tedania gurkanovae sp. n. Western coast of S. Sakhalin, **Koltun**, V. M. : 64 fig. 20.

Tedania ignis toxicity, **Albahary**, C. and **Budker**, P.

KERATOSA

Dendrilla acantha sp. n. Mediterranean, **Vacelet**, J. : 143, figs. 1-2.

Psammopemma rubra, p. 43, *arenacea* p. 43, spp. n. Red Sea, **Lévi**, C. (1).

INCERTAE SEDIS

Actinocyclus pharaonensis sp. n. Cretaceous Egypt, **Lagneau-Héranger** L. : 126, 1 fig.

†CYATHOSPONGIA

Archaeocyatha Sangilen, Tuva, Russia, **Ilin**, A. V.

†*Ajacicyathus yukonensis* sp. n. Cambrian, N. America, **Kawase**, Y. and **Okulitch**, V. J. : 915, pl. cix fig. 2.

†*Carinacyathus perforatus* sp. n. Cambrian N. America, **Kawase**, Y. and **Okulitch**, V. J. : 922, pl. cxi figs. 1-5.

†*Claruscyathus ketsaensis* sp. n. Cambrian N. America, **Kawase**, Y. and **Okulitch**, V. J. : 928, pl. cxiii figs. 14-16.

†*Coscinocyathus multiporus* : 917, pl. cix, figs. 7-9, *cassariensis* : 917, pl. cix, figs. 10-13, *inequivalis* : 918, pl. cx, figs. 1-6, *serratus* : 920, pl. cx, figs. 7-9, *veronicus* : 920, pl. cx, fig. 8, *tubicornus* : 921, pl. cx, figs. 10-11 spp. n. Cambrian N. America, **Kawase**, Y. and **Okulitch**, V. J.

- †*Loculicyathus ellipticus* sp. n. and Okulitch, V. J. : 927, pl. cxiii
Cambrian N. America, Kawase, Y. figs. 7-11.
- and Okulitch, V. J. : 926, pl. cxiii
†*Pycnoidocyathus solidus* sp. n.
Cambrian N. America, Kawase, Y.
- †*Metacoscinus poolensis* sp. n. and Okulitch, V. J. : 925, pl. cxii,
Cambrian N. America, Kawase, Y. figs. 8-9.

